

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 11/11/2022 Revision date: 11/11/2022 : Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form Mixture

Product name Turmopololoil 20 HD

Type of product greases, mineral oils, silicones

Product code BU ETA

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture Lubricants, greases, release agents

Recommended use For professional use only

1.4. Supplier's details

Supplier

P.T. Hilti Nusantara

The Garden Center Level 3 No. 3-11B, Kawasan Komersial Cilandak Jl.

Raya Cilandak KKO ID- 12560 Jakarta

Indonesia

T +62 21 789 0850 - F +62 21 7890845

moid@hilti.com

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

DE- 86916 Kaufering Deutschland

T +49 8191 906876

anchor.hse@hilti.com

1.5. Emergency phone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

+62 21 789 0850

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids Not classified On basis of test

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	< 2,5	Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
4,4'-methylenebis(2,6-di-tert-butylphenol)	CAS-No.: 118-82-1	<1	Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation, H335

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation May cause respiratory irritation.

Symptoms/effects after skin contact Repeated or prolonged contact may cause slight irritation to the skin.

Symptoms/effects after eye contact May cause slight irritation.

Potential adverse human health effects and Based on available data, the classification criteria are not met.

symptoms

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media ABC-powder, Sand. carbon dioxide (CO2), dry chemical powder, foam.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire.

5.3. Special protective actions for fire-fighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

21/12/2022 ID - en 2/7



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store at temperatures not exceeding 25 °C. Protect from sunlight. Store in a well-ventilated

place.

Incompatible products Strong acids. Strong bases.
Incompatible materials Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.

Environmental exposure controls Avoid release to the environment.

Other information Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Prolonged and/or repeated handling: Protective gloves. Butyl-rubber protective gloves > 120

min (EN 374)

Eye protection Not necessary under the recommended storage and handling conditions

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state Liquid
Appearance Viscous
Colour amber.
Odour characteristic.
Odour threshold Not available

21/12/2022 ID - en 3/7



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Melting point -40 °C Freezing point Not available **Boiling point** > 250 °C Flammability Not available Lower explosion limit Not available Upper explosion limit Not available Flash point 270 °C Auto-ignition temperature Not available Decomposition temperature 250 °C рΗ Not available pH solution Not available Viscosity, kinematic (calculated value) (40 °C) 0,114 mm²/s (40 °C) Partition coefficient n-octanol/water (Log Kow) Not available < 15 hPa (50 °C) Vapour pressure Vapour pressure at 50°C Not available Density 1,05 g/cm3 Relative density 0 (15,6 °C) Relative vapour density at 20°C Not available

Solubility insoluble in water. Soluble in organic solvents.

Particle size Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use. No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Toxic gases are released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)	
	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified

4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)	
STOT-single exposure May cause respiratory irritation.	
STOT-repeated exposure	Not classified

STOT-repeated exposure Not classified
Aspiration hazard Not classified

Turmopololoil 20 HD	
Viscosity, kinematic	0,114 mm²/s (40 °C)

Potential adverse human health effects and Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

Not classified

(acute)

Hazardous to the aquatic environment, long-term

Not classified

(chronic)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
LC50 - Fish [1]	> 100 mg/l	
LC50 - Other aquatic organisms [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 51 mg/l	
4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)		
LC50 - Fish [1]	820 mg/l (EPA 600/3-75/009, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	> 0,1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 algae	> 26,5 ng/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	

12.2. Persistence and degradability

Turmopololoil 20 HD		
Persistence and degradability Not established.		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Not rapidly degradable		
4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)		
Not rapidly degradable		
Persistence and degradability Biodegradable in the soil. Readily biodegradable in water.		

12.3. Bioaccumulative potential

Turmopololoil 20 HD	
Bioaccumulative potential	No additional information available

21/12/2022 ID - en 5/7



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Bioconcentration factor (BCF REACH)	411	
4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)		
BCF - Fish [1]	600 (OECD 305: Bioconcentration: Flow-Through Fish Test, 21 day(s), Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Kow)	> 6,5 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	

12.4. Mobility in soil

Turmopololoil 20 HD		
Mobility in soil No additional information available		
4,4'-methylenebis(2,6-di-tert-butylphenol) (118-82-1)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	> 5,63 (log Koc, EU Method C.19, Experimental value, GLP)	
Ecology - soil	Adsorbs into the soil.	

12.5. Other adverse effects

Ozone Not classified

Other adverse effects

No additional information available
Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID	
14.1. UN number or ID number	4.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shipping name	14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available				



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

SDS Major/Minor None
Issue date 11/11/2022
Revision date 11/11/2022

Full text of H-statements:	
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.