

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 21/03/2024 Revision date: 21/03/2024 Supersedes: 01/03/2023

3/2023 Version: 2.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form Mixture
Product name CP 679A Plus
Product code BU Fire Protection

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture Firestop coating

1.4. Supplier's details

Supplier

P.T. Hilti Nusantara

The Garden Center Level 3 No. 3-11B, Kawasan Komersial Cilandak Jl.

Raya Cilandak KKO ID- 12560 Jakarta

Indonesia

T +62 21 789 0850 - F +62 21 7890845

moid@hilti.com

Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100 FL- 9494 Schaan Liechtenstein T +423 234 2111

product.compliance-fire.protection@hilti.com

1.5. Emergency phone number

Emergency number Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance

+49 (0)6132-84463

+62 21 789 0850

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Hazardous to the aquatic environment – Acute Hazard, Category 3 H402 Calculation method
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Calculation method

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Signal word (GHS UN)

Hazard statements (GHS UN) H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS UN) P273 - Avoid release to the environment.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Titanium dioxide	CAS-No.: 13463-67-7	2,5 – 10	Acute toxicity (oral), Category 5, H303 Acute toxicity (inhalation:dust,mist) Not classified Carcinogenicity, Category 2, H351 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
Caramic acid, butyl-, 3-iodo-2propynyl ester	CAS-No.: 55406-53-6	< 0,1	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhal.), Category 3, H331 Acute toxicity (inhals), Category 3, H331 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, Category 1, H317 Specific target organ toxicity – Repeated exposure, Category 1, H372 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 (M=10) Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410 (M=10)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one	CAS-No.: 55965-84-9	< 0,1	Acute toxicity (oral), Category 3, H301 Acute toxicity (dermal), Category 2, H310 Acute toxicity (inhal.), Category 2, H330 Skin corrosion/irritation, Category 1C, H314 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, category 1A, H317 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 (M=100) Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410 (M=100)

Full text of H-statements: see section 16



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Potential adverse human health effects and Based on available data, the classification criteria are not met.

symptoms

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Explosion hazard No direct explosion hazard.

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire.

5.3. Special protective actions for fire-fighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage.



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures Do not eat, drink or smoke when using this product.

Handling temperature 5 – 30 °C

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible materials Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

Other information

Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.

Hand protection Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves,	Nitrile rubber (NBR), Butyl	6 (> 480 minutes)	>4		
Protective gloves,	rubber				
Reusable gloves					

Eye protection Chemical goggles or safety glasses

Skin and body protection Protective clothing

Respiratory protection Avoid inhalation of vapour and spray mist. In case of inadequate ventilation wear respiratory

protection. (FFP2)

Personal protective equipment symbol(s)







8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state Liquid
Appearance Pasty
Colour white.

Odour slight. odourless.

26/04/2024 ID - en 4/10



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Odour threshold Not available Melting point Not available Freezing point Not available Boiling point ≈ 100 °C Flammability Non flammable. Lower explosion limit Not available Upper explosion limit Not available Flash point Not available Not available Auto-ignition temperature Decomposition temperature Not available рΗ 7 - 7.8pH solution concentration 10 % Not available Viscosity, kinematic (calculated value) (40 °C) Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density 1,34 - 1,48 g/cm³ Relative density Not available Relative vapour density at 20°C Not available Solubility Not available 25000 - 40000 mPa·s Viscosity, dynamic Not applicable Particle size

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties Product is not explosive

Oxidising properties Not applicable

VOC content < 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

Not classified

Titanium dioxide (13463-67-7)	
	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))

26/04/2024 ID - en 5/10



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Titanium dioxide (13463-67-7)		
LD50 oral	5000 mg/kg	
LC50 Inhalation - Rat	> 5,09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))	
Mixture of 5-chloro-2-methylisothiazol-3((2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))	
LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))	
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)		
LD50 oral rat	300 – 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)	
LC50 Inhalation - Rat	0,67 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value Inhalation (dust))	
Skin corrosion/irritation	Not classified pH: 7 – 7,8	
Serious eye damage/irritation	Not classified pH: 7 – 7,8	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not classified	
Potential adverse human health effects and	Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

symptoms

<u> </u>	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term (acute)	Harmful to aquatic life.
Classification procedure (Hazardous to the aquatic environment, short–term (acute))	Calculation method
Hazardous to the aquatic environment, long–term (chronic)	Harmful to aquatic life with long lasting effects.
Classification procedure (Hazardous to the aquatic environment, long-term (chronic))	Calculation method
Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	> 1000 mg/l (Pisces, Fresh water)
LC50 - Other aquatic organisms [1]	> 10000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l (Invertebrata, Fresh water)



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

T'	
Titanium dioxide (13463-67-7)	1 10000
EC50 - Crustacea [2]	> 10000 mg/l
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Mixture of 5-chloro-2-methylisothiazo	l-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)
LC50 - Fish [1]	0,19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0,007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19,9 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)
Caramic acid, butyl-, 3-iodo-2propyny	l ester (55406-53-6)
LC50 - Fish [1]	0,2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Experimental value)
LC50 - Fish [2]	85 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Salt water, Experimental value, Reaction product)
EC50 - Crustacea [1]	0,16 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Flow-through system, Experimental value)
EC50 - Crustacea [2]	60 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Reaction product)
ErC50 algae	> 41,3 mg/l (EPA OTS 797.1050, 96 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Reaction product)
12.2. Persistence and degradability	
CP 679A Plus	
Persistence and degradability	Not established.
Titanium dioxide (13463-67-7)	
Not rapidly degradable	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Mixture of 5-chloro-2-methylisothiazo	l-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)
Not rapidly degradable	
Persistence and degradability	Not readily biodegradable in water.
Caramic acid, butyl-, 3-iodo-2propyny	l ester (55406-53-6)
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Chemical oxygen demand (COD)	1,15 g O ₂ /g substance
12.3. Bioaccumulative potential	
CP 679A Plus	
Bioaccumulative potential	Not established.
Titanium dioxide (13463-67-7)	



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)	
Partition coefficient n-octanol/water (Log Kow)	-0,32 – 0,7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)		
BCF - Fish [1]	3,3 – 4,5 (Cyprinus carpio, Literature study)	
Partition coefficient n-octanol/water (Log Kow)	2,81 (Literature, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

CP 679A Plus		
Mobility in soil	No additional information available	
Titanium dioxide (13463-67-7)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,81 – 1 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)		
Surface tension	69,1 mN/m (158 mg/l, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,1 (log Koc, Experimental value)	
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects

Ozone Not classified

Other adverse effects

No additional information available

Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

Ecology - waste materials

Dispose in a safe manner in accordance with local/national regulations.

Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

ADR	IMDG	IATA	RID
14.2. UN proper shipping name	e		
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

 Issue date
 21/03/2024

 Revision date
 21/03/2024

 Supersedes
 01/03/2023

Other information None.

Full text of H-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Full text of H-statements:		
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5	
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H310	Fatal in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H330	Fatal if inhaled	
H331	Toxic if inhaled	
H351	Suspected of causing cancer	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.